



INTERIORS

**600 %
Elongation**



EXTERIORS

Also Find at : [YouTube](#) [X](#) [Instagram](#) [LinkedIn](#) [Snapchat](#) [Facebook](#)



GREEN BUILDING PRODUCTS

CARBON CREDIT INCREMENTS

ENVIRONMENT FRIENDLY

BIO DEGRADABLE

SADEE GROUPTM

Beginning of New Era



- ICO Ltd.
- Sadee World Pvt. Ltd.
- Sadee Chemicals
- ICO Care
- Sadee Media
- Sadee Infra Projects
- Sadee Industries
- Sadee Paints
- Sadee Overseas
- Sadee Corporation
- Sadee Constructions
- Sadee Enterprises
- Sadee Retails
- Sadee Consultancy
- Sadee Investments

ICO CARE BANK DETAILS

A/c No. : 32280325544 Branch : P.Y. ROAD, INDORE IFSC : SBIN0030015 Swift Code : SBININBB691

SADEE WORLD PVT. LTD. BANK DETAILS

A/c No. : 41844913685 Branch : P.Y. ROAD, INDORE IFSC : SBIN0030015 Swift Code : SBININBB426

SADEE INDUSTRIES BANK DETAILS

A/c No. : 883220110000656 Branch : AHILYAPURA INDORE IFSC : BKID0005832



OUR CREDENTIALS

 ISO : 9001 : 2015	 एमएसएमई मिनिस्ट्री Ministry of Micro, Small & Medium Enterprises	 Zed CERTIFICATION ZERO DEFECT ZERO EFFECT	 एन एस आई सी N S I C	IS:2645  CM/L : 8674396
Global Database D-U-N-S NO.:91-624-3785  Dun & Bradstreet Corporation, USA	 EPIC	 MP PWD SOR	 SABS South African Bureau of Standards	IS:2645  CM/L : 8674396
 AMERICAN STANDARD	 India	 KVIC	 IIT DELHI	 आई टी पी ओ ITPO
 ROTARY INTERNATIONAL	 भारतीय उद्योग व्यापार मंडल भारतीय उद्योग व्यापार मंडल	BY GOVT. OF INDIA  tradeindia.com	Justdial	 ebay
 DEALERBANAQ.COM	 meesho	 salesforce	 Sulekha.com Delightful discoveries. Everyday.	L&T-SUFIN A brand of Larsen & Toubro Limited
 ExportersIndia.com LARGEST SEARCHABLE B2B MARKETPLACE	 TRUST SEAL indiamart	 ONDC Open Network for Digital Commerce	 Digital India Power To Empower	VOCAL FOR LOCAL  MAKE IN INDIA

NATIONAL AWARD PHOTO



MR. DEEPAK BHANDARI
(CMD) SADEE WORLD



MR. YASH BHANDARI
(DIRECTOR & CEO)
SADEE WORLD

Receiving National Award (Mr. P.C. Bhandari, MD-ICO Ltd.)

Quality Policy & Objectives

We, at **SADEE WORLD PRIVATE LTD.** believe in global harmony through happy living. We aim to save properties worth billions of rupees from water leakages problems as water ruins more properties than any destruction due to natural disaster or war.

It is our constant endeavor to develop water proofing chemicals and educate people on our product features to serve maintenance free dwelling for years to come. For this we shall constantly conduct qualitative improve our Quality Management System with inputs in improving human relations, packing, managerial and administrative efficiency and much more.

To develop range of products in the same family giving wide application base for all type of customers

- To ensure quality at all stage
- To enhance marketing all over India and abroad
- To encourage training of applicators so that they can generate independent employment

R&D Department (Laboratory)

We have pleasure to established a fully equipped, centrally air condition state of the art, advanced & high tech, totally computerized laboratory in the heart of Indore city. It is first laboratory in central India which are giving services for water permeability testing of cement, concrete mortar.

SW LAB'S ASSETS

- Dedicated, competent technical staff.
- Timely, Accurate, Reliable test results.
- Responsive attitude & Team work.
- Customer's satisfaction.
- Convenient Central location.

UPDATED TECHNOLOGY

In SW Lab the standard analytical methods are aided by the use of sophisticated instruments, high tech computer software, and other modern testing equipments with competent technical staff, for accurate analytical interpretation of consistent test results. SW Lab is innovative for continuous improvement by updating knowledge, skill & technical capability to meet the challenges of latest development and global market demand.



बाहरी इमल्शन



आंतरिक इमल्शन



**600 %
खिंचाव**

MAGICAL EXTERIOR



BRIGHT IDEAS!

Create a soothing and earthy outdoor living space that reveals the beauty of mountainous finishing of granite by pairing the grey colour and light colours with tilelac ema base. _____



MAGICAL INTERIOR

Fresh Pastels

Young & Joyful

Our Fresh Pastels fill you with a **fresh, youthful vibe** to take into your day.



Fresh Pastels

Young & Joyful

Welcome a **euphoric** feel into your living space with our Fresh Pastels.



Smart Neutrals

Warm & Natural

Smart Neutrals give your living space an understated **elegance** that feels **sophisticated** yet natural.



Modern Midtones

Calm & Relaxed

A **comforting** cocoon. That's your living space when you deck it up with our Modern Midtones.



Right Whites

Pure & Peaceful

Your home is an abode of **peace**. Our Right Whites complement this feeling in a **classic** or **contemporary** style.



Bold Accents

Bright & Beautiful

Colour your living spaces with the **pulsating energy** of our Bold Accents.



Shades are shown for indicative purposes. Please refer to Shade Panorama for actual shades.

हम आपकी पंसद की सराहना करते हैं और आपको एक सर्वश्रेष्ठ पेंट का चुनाव करने के लिये धन्यवाद देते हैं, क्योंकि ये है



- एक क्रांतिकारी पेंट • अद्वितीय लोटेस लीफ़ तकनीक • सर्वश्रेष्ठ दाग प्रतिरोधी • उच्च दराररोधी क्षमता
- अतुलनीय एंटीमाइक्रोबियल गुणधर्म • उच्च अग्नि प्रतिरोधी • अंतर्राष्ट्रीय पर्यावरण तथा स्वास्थ्य मानकों के अनुकूल
- उच्च टिकाउ क्षमता • इन्द्रधनुषीय रंग आठ (8) वर्ष की परफॉर्मेंस वॉरन्टी • अधिकतम कवरेज

सदीवर्ल्ड पेण्ट द्वारा एक आर्दश एक्रिलिक पेंट की शृंखला पेश की गई है। यह दीवारों पर उच्च इलास्टोमेरिक (लचक वाला), टिकाऊ, वॉटरप्रूफ, धुल - गंदगी रहित एक सुरक्षात्मक कोटिंग है। इसकी विशेषता है कि यह पर्यावरण अनुकूल, दिखने में आकर्षक, लगाने में आसान तथा बाहरी दीवारों की कमियों को ढाकने की उच्च क्षमता से परिपूर्ण है। यह सूक्ष्म जीवाणु की उत्पत्ति को रोकता है तथा पानी में पाये जाने वाले क्षार का प्रतिरोधी है।



www.sadeeworld.com
#startupindia



एक क्रांतिकारी पेंट

यह शुद्ध ऐक्रेलिक इलास्टोमेरिक सिंथेटिक रेजिन पर आधारित पेंट है, जो कि विशेष द्रव्यों के साथ दरार रहित अत्याधिक सुंदर रंगीन परत का निर्माण कर सतह पर अधिक शक्तिशाली, टिकाऊ तथा मनभावन रंगों के साथ लम्बे समय तक बना रहता है।

अद्वितीय कमल पत्र तकनीक

सदीवर्ल्ड पेण्ट के जल प्रतिरोधी प्राकृतिक गुणधर्म की वजह से यह लगाई गई सतह पर से लोटस लीफ की तरह पानी बिखेर कर भीतरी सतह को गीला नहीं होने देता है।

सर्वश्रेष्ठ दाग प्रतिरोधी

सदीवर्ल्ड पेण्ट की परत लचिली, घनी एवं छिद्र रहित होती है अतः विशेष रूप से जिद्दी दाग नहीं उभरते हैं, इस कारण की गई सतह की साफ सफाई आसान हो जाती है, क्योंकि सतह पर सुन्दर पेन्ट पर दागों का समावेश नहीं हो पाता है।

अतुलनीय एंटीमाइक्रोबियल गुणधर्म

यह एक अत्याधुनिक अतुलनीय सूत्र है जो कि निर्माण हेतु स्वास्थ्यवर्धक तथा पर्यावरण अनुकूल है। जो निर्माण की आयु को बढ़ाता है तथा इसके लगाने के बाद पेंट की गई सतह पर सूक्ष्म जीवाणुओं का प्रजनन नहीं हो पाता है, अर्थात अलगी, फफूंद तथा काई को बनने से रोकता है



उच्च दराररोधी क्षमता

अधिकतर दीवारों में दरार निर्माण की प्रक्रिया सर्दी, गर्मी से, फैलाव या सिकुड़न के कारण होती है। इस प्रकार की दरारों को ढाँकने हेतु **सदीवर्ल्ड पेण्ट** उच्च स्तरीय, मजबूत एवं लचीला पेंट है। जो 400% से 600% तक का खिंचाव सहन कर सकता है। **सदीवर्ल्ड पेण्ट** की यही उच्च स्तरीय लचीली विशेषता आपकी दीवारों को दराररहित एवं सुंदर बनाये रखती है।



सर्वोत्तम परिणाम हेतु : सतह की तैयारी

नवनिर्माण के 60 दिन के बाद ही सदीवर्ल्ड के पेण्ट द्वारा पुताई की जानी चाहिए। **उपयोग की विधि** - धरातल पर लगे ऑईल, ग्रीस, धूल, जंग, काई, घास व स्खलित सीमेंट की परतों आदि को अच्छी तरह वायर ब्रश या अन्य मशीनी साधन से सफाई कर, पानी से धो लें। 5mm से बड़े क्रेक को सदीवर्ल्ड की पुट्टी से भरें। यदि 5 mm से बड़े क्रेक हो तो सदीवर्ल्ड का क्रेक सिल पेस्ट भरें। प्राईमर का प्रयोग अच्छे परिणाम हेतु स्वच्छ एवं समतल सतह पर सदीवर्ल्ड प्राईमर का एक कोट लगावें। यदि सतह अधिक सुष्क हो तो प्राईमर के दो कोट लगावें। प्राईमर के 6 घंटे बाद बाहरी दिवारों के लिए फोरच्यूनर और आंतरिक दिवारों के लिए इनोवा इमल्शन को लगाया जा सकता है।



लगाने का तरीका उपयोग के पहले **सदीवर्ल्ड** पेण्ट का डिब्बा खोलिए तथा अच्छी तरह से हिलाइए। फिर उसमें साफ पानी मिलाकर ब्रश से लगाने लायक घोल बनाईये। 6-6 घंटे के अंतराल में पेण्ट के खड़े तथा आड़े दो कोट सतह पर लगाईये। बाहरी दीवारों की सतह पर 3 कोट लगाईये। गहरे रंगों के उपर उपयोग के समय 3 कोट सतह को ढाँकने हेतु अत्यावश्यक है।

सावधानियाँ कभी भी पोली या चिकनी धरातल पर प्रयोग ना करें। गीली या गर्म सतह पर प्रयोग ना करें। बाहर का तापमान यदि 10 डि.से. से कम हो या 45 डि.से. से अधिक हो तो कभी भी **सदीवर्ल्ड** पेण्ट का प्रयोग ना करें।



पेंटिंग से पहले की तैयारी

1. पेंटिंग के पूर्व पलस्तर की गई सतह की उचित रूप से तराई करें।
2. नमी और सीलन से भरी हुई सतह पर कभी भी पेंटिंग ना करें।
3. बाहरी दीवारों पर प्राईमर का आधार देना अत्यावश्यक है, ऐसा न करने पर पेंटिंग के कोट सही तरीके से पकड़ नहीं बना पाते हैं।
4. गहरे रंगों को छुपाने हेतु बाहरी दीवारों पर कम से कम 3 कोट अवश्य लगावें।
5. अधिक सोखने वाली धरातल पर प्रायमर के भी 2 कोट लगावें।

पेंटिंग हेतु सलाह

सदैव प्राईमर व अंतिम कोट हेतु पूर्व निर्धारित मानको पर जोर दें।
ध्यान रखें कि कोट का फैलाव निर्धारित मापदंड से 10% से अधिक ना हो।
सदैव बाहरी दीवारों पर 3 कोट का प्रावधान रखें।
सूखने हेतु पर्याप्त समय दें।

* विशेष सावधानियाँ कोटिंग के उपरान्त तैयार फिल्म 600% खिंचाव की विशेषता के कारण भीतरी दारारों को उभरने नहीं देती है।

नोट : यह जानकारी जनहित में दी गई है। परन्तु अंजाने में कोई क्षति होती है या विधि अनुसार उपयोग नहीं किया जाता है, तो कम्पनी की कोई जवाबदारी नहीं रहेगी।

600 %
खिंचाव

उच्च अग्नि प्रतिरोधी

पहले दूसरे पेंट की तुलना में सदीवर्ल्ड पेन्ट की सतह पर अग्नि ज्वाला फैलाव की दर सबसे कम होने से यह निर्माण को अग्नि से होने वाली हानि से सुरक्षा प्रदान करता है। तथा संबंधित अन्य खतरों से बचाता है।

अंतर्राष्ट्रीय पर्यावरण तथा स्वास्थ्य मानकों के अनुकूल

सदीवर्ल्ड पेन्ट एक विश्वस्तरीय गंधरहित उच्चकार्यक्षमता वाला पेंट है। यह अंतर्राष्ट्रीय विधि मानक VOC (वोलाटाइल ऑर्गनिक कम्पाउन्ड) के समतुल्य है। यह लेड, भारी धातु तथा अन्य विषैले तत्व इत्यादि हानिकारक रसायनों से रहित होने के साथ ही यह GS 2 के अंतर्राष्ट्रीय मानक की सभी औपचारिकताओं पर खरा उतरता है।

टिकाऊ क्षमता

सदीवर्ल्ड पेन्ट निर्माण की भीतरी तथा बाहरी धरातल पर शानदार टिकाऊ क्षमता के साथ मजबूत पकड़ बनाता है तथा निरन्तर अनेक वर्षों तक एक जैसा बना रहता है। इस हेतु यह आवश्यक है कि अलगी, फंगस से बचाव के लिए पेन्ट की सतह को 6 माह के अंतराल में साफ पानी से धोते रहें।

इन्द्रधनुषीय रंग

बेहतरीन आकर्षक पेंटिंग हेतु सदीवर्ल्ड पेन्ट इन्द्रधनुषीय रंगों के लिए बेस पेन्ट में तरह तरह के रंग (स्टेनर्स- टिनटिंग) मिलाकर तैयार किया जा सकता है।

सात (8) वर्ष की वॉरन्टी

रंगों का बिगड़ना, पेन्ट का दीवार से उखड़ना तथा सूक्ष्म जीवाणुओं की उत्पत्ति बाबद सदीवर्ल्ड पेन्ट एक परिक्षित उत्पाद है, अतः कम्पनी पेन्ट की गुणवत्ता के लिए 8 वर्ष की वॉरन्टी प्रदान करती है।

कवरेज (फैलाव क्षमता)

40 से 50 वर्ग फीट प्रति किलो (सतह की स्थिति पर निर्भरता)।



Sadee World Pvt. Ltd.



Sadee World Pvt. Ltd.





INTERIOR

MAGICAL INTERIORS



Germ Block

KILLS UP TO 99.9%** OF
BACTERIA, FUNGI AND VIRUS

REGAL LUXURY EMULSION

- Rich & perfect sheen
- Smoother finish
- Enhanced stain resistance & anti fungal shield Teflon surface protector
- Coverage*: 140-160 sq.ft./2 coats.



INNOVA EMULSION

- Smooth finish
- Durability of emulsion at a price similar to distemper.
- Antifungal & stain Removal
- Coverage*: 130-150 sq.ft./Ltr./2coats.



SUPERIOR EMULSION

- Rich and Smooth matt finish
- Better durability & Washability
- Better antifungal & stain removal
- Coverage*: 140-160 Sq.ft./litr/2 coats



EXTERIOR

ROYAL EXTERIORS



Germ Block

KILLS UP TO 99.9%** OF
BACTERIA, FUNGI AND VIRUS

WALL GUARD

Waterbased Semi acrylic
Emulsion

- Resistance to chalking and cracking compared to cement Paint Matt Finish Durability-8 yrs
- Coverage*: 50-60 Sq.Mtr./2coats



Fortuner Weatherproof

- Water based 100% Acrylic emulsion
- Excellent resistance and protection to algae and fungus
- Soft Sheen
- Durability 5 yrs
- Coverage*: 55-60 Sq.ft./litr./2coats



FORTUNER ADVANCE WEATHERPROOF

- Smooth finish with rich sheen
- Excellent dirt pick up resistance
- Higher durability: 7 yrs
- Excellent anti algae as well as anti fungal properties
- Coverage*: 55-60 Sq.ft./litr./2 coats



FEATURES:

- UV-resistant
- Paint & Primer
- Low VOC
- Endures 8 Years*

- Stain-resistant
- Dirt-resistant
- Anti-fungal
- Anti-algal

** Basis the results arrived upon after ditzener tests conducted in various laboratories. Test conducted compliant to Japanese Industrial Standard JIS Z 2801:2010 'Test for Anti-Bacterial Activity and Efficacy'.
*Subject to compliance with conditions maintained in Product Information Sheet, regional climatic conditions, accidental damage, usual wear and tear in the area where applied.

*Subject to compliance with conditions maintained in Product Information Sheet, regional climatic conditions, accidental damage, usual wear and tear in the area where applied.



MAGICAL FILLERS



Germ Block
KILLS UP TO 99.9%** OF
BACTERIA, FUNGI AND VIRUS

ACRYLIC SUPERIOR PUTTY

- Super smooth finish
- Water resistance Anti-fungal shield
- Extra strong
- Anticracking
- Coverage*: 8-10 sq.ft./2 layers.



RAINFOOF COATING

- Excellent waterproofing thick & tough film to withstand wind driven rain.
- Ideal balance of flexibility & tensile strength.
- Effectively covers hairline cracks.
- Long lasting, dirt free, protective & attractive finish.
- Coverage*: 80-100 sq.ft./2 coats.



CRACK SEAL PASTE

- Single pack ready to use & easy to apply product.
- Strong filling capacity for plaster cracks of up to 3mm width Film does not let cracks reappear RPO 20
- Stops water-ingress through cracks
- Coverage*: 8-10 sq.ft./2 coats.



FEATURES:

- UV-resistant
- Paint & Primer
- Low VOC
- Endures 8 Years*

** Basis the results arrived upon after dizzierent tests conducted in various laboratories. Test conducted compliant to Japanese Industrial Standard JIS Z 2801:2010 'Test for Anti-Bacterial Activity and Ezbicacy'.
*Subject to compliance with conditions maintained in Product Information Sheet, regional climatic conditions, accidental damage, usual wear and tear in the area where applied.



ROYAL PRIMERS



Germ Block
KILLS UP TO 99.9%** OF
BACTERIA, FUNGI AND VIRUS

CELEBRATION WALL PRIMER

- A water base for interior concrete surface.
- This primer has excellent sealing properties.
- Coverage*: 50-60 Sq.Mtr./2coats



PREMIUM BOND ACRYLIC PRIMER

- Wall Primer (Water Thinnable) gives superior adhesion and better performance of the paint film.
- Coverage*: 55-60 Sq.ft./ltr./2coats



CLASSIC-EX EXTERIOR







- Specially formulated exterior primer with a capability to resist Alkali and Fungal attacks.
- It has water resistance properties.
- Coverage*: 55-60 Sq.ft./ltr./2 coats



- Stain-resistant
- Dirt-resistant
- Anti-fungal
- Anti-algal

*Subject to compliance with conditions maintained in Product Information Sheet, regional climatic conditions, accidental damage, usual wear and tear in the area where applied.

Popular Combinations



Shades are shown for indicative purposes. Please refer to Shade Panorama for actual shades.

We believe everyone has the power to Think Beautiful if they have the right tools. That is why SADEE Paints presents Colourhorizon range of colour tools to help bring your beautiful inner world of imagination to life!

Shade Panorama

Range of 1808 curated colours arranged by tonality of shades.



Shade Portrait

Collection of 6 theme-based cards for interiors & exteriors.



Colourhorizon Sample Pot

The 250 ml sample pot gives a preview of the shade that can make your space picturesque.



Colourhorizon Touch App

Colourhorizon Touch is a modern app that assists in making painting decisions with a few simple steps.




Colourhorizon Glimpse

An expert visualisation service that helps you pick the perfect colours for your home.



OUR NETWORK IN INDIA & ABROAD



OVERSEAS

Dubai, Asia.	Myanmar
Mexico, USA.	Maldives
Ghana, Africa.	Mauritius
Uganda, Africa.	Bhutan
Srilanka, Asia.	
Bangladesh, Asia.	
Nepal, Asia.	

FOR INQUIRY



PLS PAY HERE



AVAILABLE AT :   GeM  MSME  amazon  Flipkart  Alibaba.com  franchiseindia.com

Helpline and Whatsapp No. 92291 82999 Ph. : 0731 4979467

E-mail : Sadeeworld99@gmail.com, Sales@sadeeworld.com

Also Find at :      

More than 100000 Satisfied Customers Across India



Helpline & Whatsapp No. 92291 82999, 9826011056

E-mail : Sales@sadeeworld.com, Sadeeworld99@gmail.com,

Also Find at :      

More than 100000 Satisfied Customers Across the World